Ref	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	75	rogue same message and notify\$4 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 17:05
L3	75	rogue same message and notify\$4 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 17:13
L4	3	rogue same message and notify\$4 with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 17:57
L5	13	backdoor with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 18:02
L6	14	backdoor and inject	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 18:05
L7	1	handling with bad with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 18:08
L9	24	handling same bad with packet	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 18:12
L10	71	rogue with message	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:06
L11	44	rogue with message and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 18:33
L12	638	(bad or error) with packet and (unidentify or defect or fail\$4) with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/23 18:34
L13	478	(bad or error) near3 packet and (unidentify or defect or fail\$4) with receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/23 18:34

L14	182	(bad or error) near3 packet and (unidentify or defect or fail\$4) near3 receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/23 18:34
L15	24	(bad or error) near3 packet and (unidentify or defect or fail\$4) adj receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/23 18:51
L16	5	(bad or error) adj packet and (unidentify or defect or fail\$4) adj receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/23 18:36
L24	46	(bad or error) near3 message and (unidentify or defect or fail\$4) adj receiver	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/23 18:52
L25	1	rogue with message with handling	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:07
L28	1199	unsolicited with message	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:17
L29	1	unsolicited with message and reciever	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:08
L30	7	unsolicited with message with handling	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:09
L31	0	unsolicited with message and unknown with reciever	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:17
L32	0	unsolicited with message and unknown same reciever	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:17
L33	0	unsolicited and unknown same reciever	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:17

L34	1	unknown same reciever	US-PGPUB;	OR	OFF	2006/05/23 19:20
	•		USPAT; EPO; JPO; DERWENT ; IBM_TDB			
L35	6	inject with error with condition	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:58
L37	441	return near4 message with sender	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:59
L38	17	return near4 message with sender and rogue	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 19:59
SI	735	(714/43).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 13:53
S2	167	(714/56).CCLS.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:45
S3	467	backdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 19:30
S4	2	backdoor with multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:51
S5	2	backdoor same multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:36
S6	23	backdoor same processor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:36
S9	97	cache adj coherency same processor same (error or fault or failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 19:38

S10	786	cache adj coherency same multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 19:38
S11	27	cache adj coherency same multiprocessor same (error or fault or failure)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:12
S12	756	multiprocessor same memory with cache with access	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:13
S13	200	multiprocessor same memory with cache with coheren\$4 with access	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:13
S14	12	multiprocessor same memory with cache with coheren\$4 with access and (test and monitor)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:13
S15	31	peripheral adj maintenance	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:20
S16	2	(peripheral adj maintenance) and coheren\$5	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:20
S19	177	(msi or mesi mosi or moesi) same multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:28
S20	866	(msi or mesi mosi or moesi) and multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:28
S21	384	(msi or mesi mosi or moesi) and multiprocessor and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:28
S22	78	(msi or mesi mosi or moesi) and multiprocessor same peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:28

	· · · · · · · · · · · · · · · · · · ·		I		1	
S23	10	(msi or mesi mosi or moesi) and multiprocessor same (error or fault or failure) same (monitoring or testing)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:29
S25	431	housekeeping same real adj time	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:46
S27	3	housekeeping same real adj time and multiprocessing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/11 20:46
S28	268	multiprocessor with cache and interface same peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 21:42
S29	106	multiprocessor with cache near4 coheren\$3 and interface same peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 21:42
S30	27	multiprocessors with cache near4 coheren\$3 and interface same peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 21:51
S39	128	peripheral with interface and multiprocessor same cache with coheren\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 21:53
S42	95	peripheral with interface and' (error or fail or fault) and multiprocessor same cache with coheren\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 21:54
S43	95	peripheral with interface and (error or fail or fault) and multiprocessor same cache with coheren\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 21:54
S45	10	peripheral with maintenance and cache with coheren\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 22:30
S46	6	peripheral with maintenance and cache with coheren\$3 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 22:34

S47	13	backdoor with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 22:39
S48	56	backdoor and peripheral with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 22:39
S49	54	S48 not S47	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 22:39
S50	43	S48 not S47 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/23 22:39
S52	2	("20050010586").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/24 19:55
S57	2	parsed with string same parameters with verified	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/24 19:59
S58	5	pars\$3 with string same parameters with verif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/24 20:08
S60	26	pars\$3 with string with hierarch\$6	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:02
S61	156	pars\$3 with vendor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/24 20:49
S62	444	pars\$3 adj string	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/24 21:08
S63	2	pars\$3 adj string with null	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/24 21:08

S64	6	pars\$3 adj string with empty	US-PGPUB;	OR	OFF	2006/04/24 21:08
			USPAT; EPO; JPO; DERWENT ; IBM_TDB		:	
S68	96	product with support with error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:05
S69	2	product with support with error same string	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:04
S73	2	product with support with error same parameter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:06
S74	314	support with error same parameter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:07
S75	5	support with error same string with parameter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:16
S76	446	error same string with parameter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:17
S78	22	error same pars\$5 with string with parameter\$3	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:26
S79	82	string with vendor with product	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:30
S80	3	string with vendor with product with image	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:26
S83	5	sql with query same vendor with product	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 11:43

S85	96	product with support with error	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/04/25 13:36
S86	18	product with support with error and string	; IBM_TDB US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 13:39
S87	6	vendor with product with language with identif\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:27
S88	2	product with support same search\$4 with (null or empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:29
S89	50	support same search\$4 with (null or empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:33
S90	4	support same parse\$3 with (null or empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:35
S91	420	error with support with form\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:36
S92	2	error with product with support with form\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:36
S93	21	error with support with form\$2 with contact	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:39
S94	548	contact with product with support same form\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:40
S95	2	contact with product with support same error same form\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:40

S96	15	contact with product with support same form\$2 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:40
S97	34	web with support with contact same form\$2 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:51
S98	172	search\$4 with string with (null or empty)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:52
S99	2	search\$4 with (null or empty) and user with contact with support	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:53
S101	290	user with contact with support with form\$2	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:54
S102	21	user with contact with support with form\$2 and error	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/04/25 15:55
S106	2	("5815652").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 11:14
S107	140	("5204955" "5257384" "5272382" "5283905" "5285198" "5309563" "5367635" "5367667" "5455932" "5465349" "5511191" "5515418" "5577112" "5592675" "5596628" "5600788" "5603038" "5636341").PN. OR ("5815652").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/05/17 14:22
S108	2	("5815652").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 15:43
S109	2	("6438711").PN.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 15:01
S112	2	maintenance with interface same peripheral and backdoor with access	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 16:02

					,	
S113	2	maintenance with interface same peripheral and backdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 16:02
S114	241	maintenance with interface same peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 16:02
S115	29	maintenance with interface same peripheral and cache	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 16:15
S116	4060	unisys.as.	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 18:16
S118	205	diagnostic with concurrent	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 18:16
S119	84	diagnostic with concurrent and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 18:17
S120	75	diagnostic with concurrent and peripheral and (error or fail\$4 or fault)	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 18:17
S121	2	peripheral with diagnostic with concurrent	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 18:21
S122	140	peripheral with diagnostic and concurrent	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/17 18:22
S123	646	multiprocessor with cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:52
S124	2	multiprocessor with cache with coherency with peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:52

S126	3	multiprocessor with cache with coherency same peripheral	US-PGPUB; USPAT;	OR	OFF	2006/05/18 16:58
		periprierui	EPO; JPO; DERWENT ; IBM_TDB			
S127	166	multiprocessor with cache with coherency and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:58
S128	150	multiprocessor with cache adj coherency and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 16:58
S129	31	multiprocessor near4 cache adj coherency and peripheral	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:02
S130	14	multiprocessor with maintenance with interface	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:16
S132	2	maintenance with interface with backdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:33
S133	5	maintenance with interface and backdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:18
S134	5661	perform near4 diagnostic	US-PGPUB; USPAT; EPO; IPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:18
S135	27	perform near4 diagnostic and correction and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:22
S136	1	perform near4 maintenance and correction and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:22
S137	6	perform with maintenance and correction and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:22

S138	4	maintenance with interface and trapdoor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:33
S139	43	backdoor and multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/18 17:42
S140	727	symmetric with multiprocessing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR .	OFF	2006/05/19 15:28
S141	722	symmetric near4 multiprocessing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 15:29
S142	659	symmetric adj multiprocessing	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 15:29
S143	193	symmetric adj multiprocessing and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 15:30
S144	141	computer with management with system and symmetric same multiprocessor	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 15:44
S145	19	computer with management with system and symmetric same multiprocessor and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/19 15:44
S146	20	computer with management with system and symmetric same multiprocessor and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 15:53
S147	2	multiprocessor with (backdoor or "trap door") and peripheral and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 15:54
S148	2	multiprocessor with (backdoor or "trap door") and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 15:54

S149	2	multiprocessor same (backdoor or "trap door") and cache with coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 15:54
S150	2	multiprocessor same (backdoor or "trap door") and cache same coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 15:54
S151	7	multiprocessor and (backdoor or "trap door") and cache same coherency	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/05/19 15:54
S152	34	rogue near4 message	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 13:57
S153	29	rogue near4 handling	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 14:04
S154	26	S153 not S152	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 13:58
S155	2276	rogue	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 14:04
S156	94	rogue same message and notify\$4	US-PGPUB; USPAT; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/05/23 17:05